

it's easier with
empire
office furniture

VOLUME 31

Citi Workstation System 2021



Shop online
at Empire

empirefurniture.com.au





Creating an architecturally-inspired work space is now easier with Empire. The Citi System offers style, strength and practicality.

The versatile Citi workstation system will suit your needs. From a single desk right through to large office spaces with straight-run, L-shape and 120° modular options. Available in loop leg, straight leg (50/50), black or white.



INDEX

Citi WORKSTATION SYSTEM

Citi Straight-Run Desks with Citi Desktop Screens	2
Citi L-Shape Workstations with Citi Desktop Screens	6
Citi Desks with Desktop Screens (Acoustic/Compact Laminate)	10
Citi 50/50 and Loop - Frame Size Guide	14
Citi Panel System - Straight-Run	16
Citi Panel System - L-Shape Tops	20
Citi Panel System (with Dividers) - Straight-Run	24
Citi Panel System (with Dividers) - L-Shape	28
Citi Panel System - 120° Tops	32
Citi Single User - Tables and Desks	36
Citi Accessories	39
Citi Storage	40

APPENDIX


Citi Screens - Size Guide (Full Height/Desktop)	42
Citi Brackets and Hardware	43
Citi Screen System - Exploded View	44
Soft-Wiring Cable Management	45



Citi STRAIGHT-RUN DESKS With Optional Soft-Wiring Cable Management (SWCM) page 45

WORK TOPS

- Finished height: 720mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in three widths – 1200, 1500, 1800mm (others available \$POA)



DESKTOP SCREENS

- 480mm height above desk
- 32mm slimline finish
- Mounted with sturdy steel brackets
- White 30 powder coated aluminium frame
- Pinnable surface
- Compact laminate and acrylic screens available (\$POA)
- Four standard commercial fabric colours (other colours available \$POA)

2 Frame Styles

50/50 **Loop**

50 mm² 50 mm

BLACK or WHITE

FRAMES (available separately)

- Finished frame height: 695mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- Support rails: Two 40 x 25mm
- Mid-leg set back 445mm
- Powdercoated finishes: White 40 (Matt) or Black (Satin)
- Leg profile: "50/50" = 50mm x 50mm square tube, "Loop" = 50mm right angle triangle tube
- Loop legs on ends only, mid legs are 50/50


See page 11 for full specifications

SCREEN COLOURS






▼ Back-to-back Six 





Citi STRAIGHT-RUN DESKS With Optional Soft-Wiring Cable Management (SWCM) page 45


Single One



1 x Person (no screen)			Code*
A	B		
1800mm	750mm		CTxSS1875
1500mm	750mm		CTxSS1575
1200mm	750mm		CTxSS1275
Optional Soft-Wiring Cable Management SWCTDxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


Single Two



2 x Person (no screen)			
Top Size	A	B	Code*
1800mm	3600mm	750mm	CTxSS21875
1500mm	3000mm	750mm	CTxSS21575
1200mm	2400mm	750mm	CTxSS21275
Optional Soft-Wiring Cable Management SWCTSS2xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Single Three




3 x Person (no screen)			
Top Size	A	B	Code*
1800mm	5400mm	750mm	CTxSS31875
1500mm	4500mm	750mm	CTxSS31575
1200mm	3600mm	750mm	CTxSS31275
Optional Soft-Wiring Cable Management SWCTSS3xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.




Back-to-back Two



2 x Person (with screen)		
A	B	Code*
1800mm	1540mm	CTxBB21875
1500mm	1540mm	CTxBB21575
1200mm	1540mm	CTxBB21275
Optional Soft-Wiring Cable Management SWCTBB2xxxx + SWSTxxxx		

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


Back-to-back Four



4 x Person (with screens)			
Top Size	A	B	Code*
1800mm	3600mm	1540mm	CTxBB41875
1500mm	3000mm	1540mm	CTxBB41575
1200mm	2400mm	1540mm	CTxBB41275
Optional Soft-Wiring Cable Management SWCTBB4xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Back-to-back Six



6 x Person (with screens)			
Top Size	A	B	Code*
1800mm	5400mm	1540mm	CTxBB61875
1500mm	4500mm	1540mm	CTxBB61575
1200mm	3600mm	1540mm	CTxBB61275
Optional Soft-Wiring Cable Management SWCTBB6xxxx + SWSTxxxx			


* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.



Citi L-SHAPE With Optional Soft-Wiring Cable Management (SWCM) page 45


WORK TOPS

- Finished height: 720mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in four sizes




DESKTOP SCREENS

- 480mm height above desk
- 32mm slimline finish
- Mounted with sturdy steel brackets
- White 30 powder coated aluminium frame
- Pinnable surface
- Compact laminate and acrylic screens available (\$POA)
- Four standard commercial fabric colours (other colours available \$POA)




2 Frame Styles

50/50



50 mm²

Loop



50 mm


BLACK or WHITE

FRAMES (available separately)

- Finished frame height: 695mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- Support rails: Two 40 x 25mm
- Mid-leg set back 445mm
- Powdercoated finishes: White 40 (Matt) or Black (Satin)
- Leg profile: "50/50" = 50mm x 50mm square tube, "Loop" = 50mm right angle triangle tube
- Loop legs on ends only, mid legs are 50/50


See page 11 for full specifications

SCREEN COLOURS






▼ Double H-Configuration 




L-Single



1 x L-Shape Top (no screen)		
A	B	Code*
1800mm	1800mm	CTxWS1818S
1800mm	1500mm	CTxWS1815S
1800mm	1200mm	CTxWS1812
1500mm	1500mm	CTxWS1515
Optional Soft-Wiring Cable Management SWCTTD		

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


U-Configuration



2 x L-Shape Tops (no screen)			
Top Size	A	B	Code*
1800 x 1800mm	3600mm	1800mm	CTxLU21818S
1800 x 1500mm	3600mm	1500mm	CTxLU21815S
1800 x 1200mm	3600mm	1200mm	CTxLU21812
Optional Soft-Wiring Cable Management SWCTSS21800 + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


T-Configuration



2 x L-Shape Tops (with 1 screen)			
Top Size	A	B	Code*
1800 x 1800mm	3640mm	1800mm	CTxLT21818S
1800 x 1500mm	3040mm	1800mm	CTxLT21815S
1800 x 1200mm	2440mm	1800mm	CTxLT21812
1500 x 1500mm	3040mm	1500mm	CTxLT21515
Optional Soft-Wiring Cable Management SWCTSS2xxxx + SWSTxxxx or SWCTBB2xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


H-Configuration



4 x L-Shape Tops (with 2 screens)			
Top Size	A	B	Code*
1800 x 1800mm	3600mm	3640mm	CTxLH41818S
1800 x 1500mm	3600mm	3040mm	CTxLH41815S
1800 x 1200mm	3600mm	2440mm	CTxLH41812
Optional Soft-Wiring Cable Management SWCTBB41800 + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


X-Configuration



4 x L-Shape Tops (with 4 screens)			
Top Size	A	B	Code*
1800 x 1800mm	3640mm	3640mm	CTxLX41818S
1800 x 1500mm	3640mm	3040mm	CTxLX41815S
1800 x 1200mm	3640mm	2440mm	CTxLX41812
1500 x 1500mm	3040mm	3040mm	CTxLX41515
Optional Soft-Wiring Cable Management SWCTBB41800 + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Mirrored F-Configuration





6 x L-Shape Tops (with 5 screens)			
Top Size	A	B	Code*
1800 x 1800mm	5440mm	3640mm	CTxL61818S
1800 x 1500mm	5440mm	3040mm	CTxL61815S
1800 x 1200mm	5440mm	2440mm	CTxL61812
Optional Soft-Wiring Cable Management SWCTBB61800 + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.




Double X-Configuration



8 x L-Shape Tops (with 8 screens)			
Top Size	A	B	Code*
1800 x 1800mm	7280mm	3640mm	CTxLH81818S
1800 x 1500mm	7280mm	3040mm	CTxLH81815S
1800 x 1200mm	7280mm	2440mm	CTxLH81812
Optional Soft-Wiring Cable Management 2xSWCTBB41800 + SWSTxxxx			

* Code Prefix: CT = "50/50" leg, CL = "Loop" leg.

Double H-Configuration



8 x L-Shape Tops (with 6 screens)			
Top Size	A	B	Code*
1800 x 1800mm	7240mm	3640mm	CTxLH81818S
1800 x 1500mm	7240mm	3040mm	CTxLH81815S
1800 x 1200mm	7240mm	2440mm	CTxLH81812
Optional Soft-Wiring Cable Management 2xSWCTBB41800 + SWSTxxxx			


* Code Prefix: CT = "50/50" leg, CL = "Loop" leg.



Citi DESKTOP SCREENS With Optional Soft-Wiring Cable Management (SWCM) page 45 ACOUSTIC PANELS OR COMPACT LAMINATE

DESKTOP PANELS

- 350mm above desk height, fits 1800, 1500 and 1200mm wide desks and tables
- 650mm deep return/divider screen also available
- 13mm compact laminate, mounted with sturdy steel brackets
- Also available: Acrylic, ply or glass screens
- Large range of colours and finishes – custom sizes and designs (\$POA)
- Loop legs on ends only, mid legs are 50/50



COMPACT LAMINATE PANEL COLOURS





▼ Double X-Configuration 






Citi DESKTOP SCREENS With Optional Soft-Wiring Cable Management (SWCM) page 45 ACOUSTIC PANELS OR COMPACT LAMINATE

Straight-run


Back-to-back Two



2 Person		
A	B	Code*
1800mm	1540mm	CTxBB21875
1500mm	1540mm	CTxBB21575
1200mm	1540mm	CTxBB21275
Optional Soft-Wiring Cable Management		
SWCTBB2xxxx + SWSTxxxx		

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.


Back-to-back Four



4 Person		
A	B	Code*
3600mm	1540mm	CTxBB41875
3000mm	1540mm	CTxBB41575
2400mm	1540mm	CTxBB41275
Optional Soft-Wiring Cable Management		
SWCTBB4xxxx + SWSTxxxx		

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.

Back-to-back Six





6 Person		
A	B	Code*
5400mm	1540mm	CTxBB61875
4500mm	1540mm	CTxBB61575
3600mm	1540mm	CTxBB61275
Optional Soft-Wiring Cable Management		
SWCTBB6xxxx + SWSTxxxx		

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.

L-Shape

T-Configuration




2 x L-Shape Desk, 1 Screen					
A	B	Code*	A	B	Code*
3640mm	1800mm	CTxLT21818S	3640mm	1200mm	CTxLT21812
3640mm	1500mm	CTxLT21815S	3040mm	1500mm	CTxLT21515

Optional Soft-Wiring Cable Management SWCTSS2xxxx + SWSTxxxx Or SWCTBB2xxxx + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

H-Configuration





4 x L-Shape Top, 2 x Screens			
Top Size	A	B	Code*
1800 x 1800mm	3600mm	3640mm	CTxLH41818S
1800 x 1500mm	3600mm	3040mm	CTxLH41815S
1800 x 1200mm	3600mm	2440mm	CTxLH41812

Optional Soft-Wiring Cable Management SWCTBB41800 + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

X-Configuration





4 x L-Shape Tops, 4 Screens							
Top Size	A	B	Code*	Top Size	A	B	Code*
1800 x 1800	3640mm	3640mm	CTxLX41818S	1800 x 1200	3640mm	2440mm	CTxLX41812
1800 x 1500	3640mm	3040mm	CTxLX41815S	1500 x 1500	3040mm	3040mm	CTxLX41515

Optional Soft-Wiring Cable Management SWCTBB41800 + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Mirrored F-Configuration




6 x L-Shape Tops, 5 Screens			
Top Size	A	B	Code*
1800 x 1800mm	5440mm	3640mm	CTxL61818S
1800 x 1500mm	5440mm	3040mm	CTxL61815S
1800 x 1200mm	5440mm	2440mm	CTxL61812

Optional Soft-Wiring Cable Management SWCTBB61800 + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Double X-Configuration




8 x L-Shape Tops, 8 Screens			
Top Size	A	B	Code*
1800 x 1800mm	7280mm	3640mm	CTxLX81818S
1800 x 1500mm	7280mm	3040mm	CTxLX81815S
1800 x 1200mm	7280mm	2440mm	CTxLX81812

Optional Soft-Wiring Cable Management 2xSWCTBB41800 + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Double H-Configuration



8 x L-Shape Tops, 6 Screens			
Top Size	A	B	Code*
1800 x 1800mm	7240mm	3640mm	CTxLH81818S
1800 x 1500mm	7240mm	3040mm	CTxLH81815S
1800 x 1200mm	7240mm	2440mm	CTxLH81812

Optional Soft-Wiring Cable Management 2xSWCTBB41800 + SWSTxxxx

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.



Citi 50/50 and LOOP FRAMES










Single/Straight-Run Frames

695mm								
	890mm	890mm	740mm	740mm	590mm	590mm	740mm	50mm²
	End Leg CCFR090E/CLCFR090E 900mm deep tops		End Leg CCFR075E/CLCFR075E 750mm deep tops		End Leg CCFR060E/CLCFR060E 600mm deep tops		Mid Leg 750mm deep tops CCFR075M 600mm deep tops CCFR060M	Post Leg CCLEG01 suits all tops

Double/Back-to-Back Frames

695mm			
	1530mm	1530mm	1530mm
	Double End Leg CCFR154E/CLCFR154E 2 x 750mm deep tops – Desktop Screens only		Double Mid Leg CCFR154E 2 x 750mm deep tops – Desktop Screens only

Note: Loop legs on ends only, mid legs are 50/50






Citi PANEL SYSTEM FOR STRAIGHT-RUN

With Optional Soft-Wiring Cable Management (SWCM) page 45


WORK TOPS

- Finished height: 720mm + levelling foot
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in three widths – 1200, 1500, 1800mm (others available \$POA)



PANEL SCREENS

- 32mm thick slimline screen
- Two heights: 1200 and 1500mm
- Height above desk 480 or 780mm
- White 30 powdercoated aluminium frame
- White melamine below desktop
- Pinnable commercial fabric in Charcoal
- Many other colours available (\$POA)



PANEL COLOUR



2 Frame Styles

50/50 Loop

50 mm² 50 mm


BLACK or WHITE

FRAMES (available separately)

- Finished frame height: 695mm + levelling foot
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- Powdercoated finishes: White 40 (Matt) or Black (Satin)
- Leg profile: "50/50" = 50mm x 50mm square tube, "Loop" = 50mm right angle triangle tube
- Loop legs on ends only, mid legs are 50/50

See page 11 for full specifications

ASK ABOUT
Screen Panels are available in any size or colour (\$POA)




▼ Back-to-back Six 





Citi PANEL SYSTEM FOR STRAIGHT-RUN With optional **Soft-Wiring Cable Management (SWCM)** page 45


Single One



1 Person	
A	Code*
1800mm	CTxPSS1875
1500mm	CTxPSS1575
1200mm	CTxPSS1275
Optional Soft-Wiring Cable Management	
SWCTTDxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.



Single Two



2 Person	
B	Code*
3600mm	CTxPSS21875
3000mm	CTxPSS21575
2400mm	CTxPSS21275
Optional Soft-Wiring Cable Management	
SWCTSS2xxxx + SWSTxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Single Three




3 Person	
C	Code*
5400mm	CTxPSS31875
4500mm	CTxPSS31575
3600mm	CTxPSS31275
Optional Soft-Wiring Cable Management	
SWCTSS4xxxx + SWSTxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.




Back-to-back Two



2 Person	
A	Code*
1800mm	CTxPBB41875
1500mm	CTxPBB41575
1200mm	CTxPBB41275
Optional Soft-Wiring Cable Management	
SWCTSS2xxxx + SWSTxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.


Back-to-back Four



4 Person	
B	Code*
3600mm	CTxPBB41875
3000mm	CTxPBB41575
2400mm	CTxPBB41275
Optional Soft-Wiring Cable Management	
SWCTSS4xxxx + SWSTxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Back-to-back Six



6 Person	
C	Code*
5400mm	CTxPBB61875
4500mm	CTxPBB61575
3600mm	CTxPBB61275
Optional Soft-Wiring Cable Management	
SWCTSS6xxxx + SWSTxxxx	

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.




Citi PANEL SYSTEM WITH L-SHAPE TOPS

With Optional Soft-Wiring Cable Management (SWCM) page 45


WORK TOPS

- Finished height: 720mm + levelling foot
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in four sizes
- Loop legs on ends only, mid legs are 50/50




PANEL SCREENS

- 32mm thick slimline screen
- Two heights: 1200 and 1500mm
- Height above desk 480 or 780mm
- White 30 powdercoated aluminium frame
- White melamine below desktop
- Pinnable commercial fabric in Charcoal
- Many other colours available (\$POA)




PANEL COLOUR






▼ Mirrored F-Configuration 



Citi PANEL SYSTEM WITH L-SHAPE TOPS

With Optional
Soft-Wiring Cable Management (SWCM) page 45


U-Configuration



2 x L-Shape Tops, 4 x Panel Screens			
Top Size	A	B	Code*
1800mm	3664mm	1832mm	CTxPLU21818S
1500mm	3664mm	1532mm	CTxPLU21815S
1200mm	3664mm	1232mm	CTxPLU21812
Optional Soft-Wiring Cable Management SWCTSS21800 + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.


T-Configuration



2 x L-Shape Tops, 3 x Panel Screens			
Top Size	A	B	Code*
1800mm	3632mm	1832mm	CTxPLT21818S
1500mm	3632mm	1532mm	CTxPLT21815S
1200mm	3632mm	1232mm	CTxPLT21812
1500mm	3032mm	1532mm	CTxPLT21515
Optional Soft-Wiring Cable Management SWCTSS2xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.



H-Configuration



4 x L-Shape Tops, 6 x Panel Screens			
Top Size	A	B	Code*
1800mm	3664mm	3632mm	CTxPLH41818S
1500mm	3664mm	3032mm	CTxPLH41815S
1200mm	3664mm	2432mm	CTxPLH41812
Optional Soft-Wiring Cable Management SWCTSS4xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.



X-Configuration



4 x L-Shape Tops, 4 x Panel Screens			
Top Size	A	B	Code*
1800mm	3632mm	3632mm	CTxPLX41818S
1500mm	3632mm	3032mm	CTxPLX41815S
1200mm	3632mm	2432mm	CTxPLX41812
1500mm	3032mm	3032mm	CTxPLX41515
Optional Soft-Wiring Cable Management SWCTSS4xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.



Mirrored F-Configuration



6 x L-Shape Tops, 7 x Panel Screens			
Top Size	A	B	Code*
1800mm	5464mm	3632mm	CTxPL61818S
1500mm	5464mm	3032mm	CTxPL61815S
1200mm	5464mm	2432mm	CTxPL61812
Optional Soft-Wiring Cable Management SWCTSS6xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.

Double X-Configuration




8 x L-Shape Tops, 8 x Panel Screens			
Top Size	A	B	Code*
1800mm	7264mm	3632mm	CTxPLX81818S
1500mm	7264mm	3032mm	CTxPLX81815S
1200mm	7264mm	2432mm	CTxPLX81812
Optional Soft-Wiring Cable Management 2xSWCTSS4xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.



Double H-Configuration



8 x L-Shape Tops, 10 x Panel Screens			
Top Size	A	B	Code*
1800mm	7296mm	3632mm	CTxPLH81818S
1500mm	7296mm	3032mm	CTxPLH81815S
1200mm	7296mm	2432mm	CTxPLH81812
Optional Soft-Wiring Cable Management 2xSWCTSS4xxxx + SWSTxxxx			

* Code Prefix; CT = "50/50" leg, CL = "Loop" leg.




Citi PANEL SYSTEM WITH DIVIDERS FOR STRAIGHT-RUN DESKS

With Optional Soft-Wiring Cable Management (SWCM) page 45

WORK TOPS


- Finished height: 720mm + levelling foot
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in three widths – 1200, 1500, 1800mm (others available \$POA)



PANEL SCREENS

- 32mm thick slimline screen
- Two heights: 1200 and 1500mm
- Height above desk 480 or 780mm
- White 30 powdercoated aluminium frame
- White melamine below desktop
- Pinnable commercial fabric in Charcoal
- Many other colours available (\$POA)

1200mm
1500mm




PANEL COLOUR



ASK ABOUT

Screen Panels are available in any size or colour (\$POA)



▼ Back-to-back Six 






Citi PANEL SYSTEM WITH DIVIDERS FOR STRAIGHT-RUN DESKS


With Optional Soft-Wiring Cable Management (SWCM) page 45

Single One




1 Person	
A	Code*
1864mm	CTPDSS1875
1564mm	CTPDSS1575
1264mm	CTPDSS1275
Optional Soft-Wiring Cable Management	
SWCTDxxxx	

Single Two



2 Person	
B	Code*
3696mm	CTPDSS21875
3096mm	CTPDSS21575
2496mm	CTPDSS21275
Optional Soft-Wiring Cable Management	
SWCTSS2xxxx + SWSTxxxx	


Single Three



3 Person	
C	Code*
5528mm	CTPDSS31875
4628mm	CTPDSS31575
3728mm	CTPDSS31275
Optional Soft-Wiring Cable Management	
SWCTSS3xxxx + SWSTxxxx	




Back-to-back Two




2 Person	
A	Code*
1864mm	CTPDBB21875
1564mm	CTPDBB21575
1264mm	CTPDBB21275
Optional Soft-Wiring Cable Management	
SWCTSS2xxxx + SWSTxxxx	

Back-to-back Four



4 Person	
B	Code*
3696mm	CTPDBB41875
3096mm	CTPDBB41575
2496mm	CTPDBB41275
Optional Soft-Wiring Cable Management	
SWCTSS4xxxx + SWSTxxxx	

Back-to-back Six



6 Person	
C	Code*
5528mm	CTPDBB61875
4628mm	CTPDBB61575
3728mm	CTPDBB61275
Optional Soft-Wiring Cable Management	
SWCTSS6xxxx + SWSTxxxx	




Citi PANEL SCREENS WITH DIVIDERS FOR L-SHAPE DESKS

With Optional Soft-Wiring Cable Management (SWCM) page 45


WORK TOPS

- Finished height: 720mm + levelling foot
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- 750mm deep in four sizes



PANEL SCREENS

- 32mm thick slimline screen
- Two heights: 1200 and 1500mm
- Height above desk 480 or 780mm
- White 30 powdercoated aluminium frame
- White melamine below desktop
- Pinnable commercial fabric in Charcoal
- Many other colours available (\$POA)



PANEL COLOUR




ASK ABOUT

Screen Panels are available in any size or colour (\$POA)




▼ Double X-Configuration 



Citi PANEL SCREENS WITH DIVIDERS FOR L-SHAPE DESKS

With Optional
Soft-Wiring Cable Management (SWCM) page 45

U-Configuration




2 x L-Shape Tops, 7 x Panel Screens

Top Size	A	B	Code*
1800mm	3696mm	1864mm	CTPDLU21818S
1500mm	3696mm	1564mm	CTPDLU21815S
1200mm	3696mm	1264mm	CTPDLU21812

Optional Soft-Wiring Cable Management

SWCTSS21800 + SWSTxxxx

T-Configuration




2 x L-Shape Tops, 7 x Panel Screens

Top Size	A	B	Code*
1800mm	3696mm	1864mm	CTPDLT21818S
1500mm	3696mm	1564mm	CTPDLT21815S
1200mm	3696mm	1264mm	CTPDLT21812
1500mm	3096mm	1564mm	CTPDLT21515

Optional Soft-Wiring Cable Management

SWCTSS2xxxx + SWSTxxxx

H-Configuration





4 x L-Shape Tops, 12 x Panel Screens

Top Size	A	B	Code*
1800mm	3696mm	3696mm	CTPDLH41818S
1500mm	3696mm	3096mm	CTPDLH41815S
1200mm	3696mm	2496mm	CTPDLH41812

Optional Soft-Wiring Cable Management

SWCTSS4xxxx + SWSTxxxx

X-Configuration




4 x L-Shape Tops, 12 x Panel Screens

Top Size	A	B	Code*
1800mm	3696mm	3696mm	CTPDLX41818S
1500mm	3696mm	3096mm	CTPDLX41815S
1200mm	3696mm	2496mm	CTPDLX41812
1500mm	3096mm	3096mm	CTPDLX41515

Optional Soft-Wiring Cable Management

SWCTSS4xxxx + SWSTxxxx

Mirrored F-Configuration




6 x L-Shape Tops, 17 x Panel Screens

Top Size	A	B	Code*
1800mm	5528mm	3696mm	CTPDL61818S
1500mm	5528mm	3096mm	CTPDL61815S
1200mm	5528mm	2496mm	CTPDL61812

Optional Soft-Wiring Cable Management

SWCTSS6xxxx + SWSTxxxx

Double X-Configuration



8 x L-Shape Tops, 22 x Panel Screens


Top Size	A	B	Code*
1800mm	7360mm	3696mm	CTPDLX81818S
1500mm	7360mm	3096mm	CTPDLX81815S
1200mm	7360mm	2496mm	CTPDLX81812

Optional Soft-Wiring Cable Management

2xSWCTSS4xxxx + SWSTxxxx



Double H-Configuration 



8 x L-Shape Tops, 22 x Panel Screens

Top Size	A	B	Code*
1800mm	7360mm	3696mm	CTPDLH81818S
1500mm	7360mm	3096mm	CTPDLH81815S
1200mm	7360mm	2496mm	CTPDLH81812

Optional Soft-Wiring Cable Management
2xSWCTSS4xxxx + SWSTxxxx




Citi 120° TOPS WITH PANEL SCREENS

With Optional **Soft-Wiring Cable Management (SWCM)** page 45


WORK TOPS

- Finished height 720mm + levelling foot
- 25mm E-Zero melamine (environmentally-friendly)
- Cable hole cut-out for cable access
- Top colour – White 20 – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- Loop legs on ends only, mid legs are 50/50



PANEL SCREENS

- 32mm thick slimline screen
- Two heights: 1200 and 1500mm
- Height above desk 480 or 780mm
- White 30 powdercoated aluminium frame
- White melamine below desktop
- Pinnable commercial fabric in Charcoal
- Many other colours available (\$POA)




PANEL COLOUR





▼ 120° 9-Configuration 






Citi 120° TOPS WITH PANEL SCREENS

With Optional
Soft-Wiring Cable Management (SWCM) page 45


120° 3-Configuration



3 Person		
A	B	Code*
2760mm	2390mm	CTxP12031212
Optional Soft-Wiring Cable Management \$POA		

* Product code "x" = colour


120° 6-Configuration



6 Person		
A	B	Code*
4780mm	2760mm	CTxP12061212
Optional Soft-Wiring Cable Management \$POA		

* Product code "x" = colour

120° 9-Configuration



9 Person		
A	B	Code*
6950mm	3630mm	CTxP12091212
Optional Soft-Wiring Cable Management \$POA		

* Product code "x" = colour






Citi TABLES AND DESKS With Optional Soft-Wiring Cable Management (SWCM) page 45

WORK TOPS

- Finished height: 720mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- 25mm E-Zero melamine (environmentally-friendly)
- Top colours – White 20, Select Beech and Red Cherry – quick-ship melamine (other colours available \$POA)
- 2mm impact resistant solid PVC edging
- Optional cable entry points available (\$POA)

Table Top Specifications	
Size	Code
1200W x 600Dmm	CTXTD1260/C
1200W x 750Dmm	CTXTD1275/C
1500W x 750Dmm	CTXTD1575/C
1800W x 750Dmm	CTXTD1875/C
1800W x 900Dmm	CTXTD1890/C
Optional Soft-Wiring Cable Management SWCTDxxxx	




FRAMES (available separately)

- Finished frame height: 695mm + adjustable feet
- Adjustable feet: 80mm on 50/50 leg or 10mm on Loop leg
- Support rails: Two 40 x 25mm
- Mid-leg set back 445mm
- Powdercoated finishes: White 40 (Matt) or Black (Satin)
- Leg profile: "50/50" = 50mm x 50mm square tube, "Loop" = 50mm right angle triangle tube
- Loop legs on ends only, mid legs are 50/50

See page 11 for full specifications

TOP COLOURS





▼ L-Shape Workstations





Citi TABLES AND DESKS

With Optional **Soft-Wiring Cable Management (SWCM)** page 45

Rectangular Desks and Tables



Table Top Specifications	
Size	Code
1200W x 600Dmm	CTxTD1260/C
1200W x 750Dmm	CTxTD1275/C
1500W x 750Dmm	CTxTD1575/C
1800W x 750Dmm	CTxTD1875/C
1800W x 900Dmm	CTxTD1890/C

Optional Soft-Wiring Cable Management
SWCTTDxxxx

Fitted Returns

Fits Citi Rectangular and Straight-Run desks and tables



Fitted Return Specifications	
Top Size	Code
1050W x 600Dmm	CTxRT1060
900W x 600Dmm	CTxRT0960

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Modesty Panels


Fits all Citi desks and tables




Melamine Panel	
Suits Top Size	Code
1800Wmm	MOD164
1500Wmm	MOD134



Perforated Metal Panel	
Suits Top Size	Code
1200Wmm	B2MOD1050
1500Wmm	B2MOD1215
1800Wmm	B2MOD1515



L-Shape Workstations



L-Shape Workstation Specifications	
Top Size	Code
1500 x 1500mm	CTxWS1515
1200 x 1800mm	CTxWS1812
1500 x 1800mm	CTxWS1815S
1800 x 1800mm	CTxWS1818S

* Code Prefix; CT = "50/50" leg, CL= "Loop" leg.

Shelves

- White 25mm E-Zero melamine shelf with powdercoated metal frame



Screen Hung Shelf
W600 x D300mm CTAC600
Panel Screen only
W450 x D300mm CTAC450



Desk Mounted Shelf
W600 x D300mm CTDMSH600
W450 x D300mm CTDMSH450

Screen Hung Accessories

- White powdercoated metal



A4 Document Tray CCAC02L
H64 x W305 x D230mm
Panel Screen only



Four Compartment Magazine File CCAC03
H262 x W235 x D220mm
Panel Screen only



Binder File CCAC04
H300 x W154 x D305mm
Panel Screen only

Clamp On Screen

- Easy attachment clamp fits large range of desks (up to 1800mm)
- Choice of four colours – Blue, Green, Red, Charcoal



Size (mm)	Code
W1200 x H480mm	CTDC0512
W1500 x H480mm	CTDC0515
W1800 x H480mm	CTDC0518



Desk Hung Screen

- Fabric available in Citi Charcoal (other colours available \$POA)
- Includes mounting brackets and two end trims

Size (mm)	Code
W750 x H900mm	CTDH0975/P
W1200 x H900mm	CTDH0912/P
W1500 x H900mm	CTDH0915/P
W1800 x H900mm	CTDH0918/P



Citi TIMBER STORAGE

Citi Cupboards and Bookcases



Large Bookcase CTBC18
H1800 x W900 x D400mm

- 25mm E-Zero melamine (Environmentally-Friendly)
- Quick Ship Melamine Colour – White 20 (other colours available)

- 2mm impact resistant solid PVC edging
- Rigid 18mm back
- Foot Height 70mm



Medium Bookcase CTBC12
H1200 x W900 x D400mm



Small Bookcase CTBC09
H900 x W900 x D400mm



Half Door Cupboard CTSC18HD
H1200 x W900 x D400mm



Large Cupboard CTSC18
H1800 x W900 x D400mm



Medium Cupboard CTSC12
H1200 x W900 x D400mm



Small Cupboard CTSC09
H900 x W900 x D400mm



Horizontal Cupboard CTSC0918
H900 x W1800 x D400mm




Horizontal Bookcase CTBC0918
H900 x W1800 x D400mm

Citi Mobile Caddies

- On durable castors
- Customise with four options on both sides
- Dimensions: H579 x W994 x D520mm



Shelf



Tambour



Three Drawer



Drawer and File



Tambour/Shelf CTMCSHTD



Drawer and File/Shelf CTMCSHDF



Shelf/Shelf CTMCSHSH

Citi METAL STORAGE

Tambour Door Cupboards



Artificial Plants

- 4 pots and moss base
- Ⓐ **Low Foliage** PLBSLOW1
- Ⓑ **Tall Foliage** PLBSTAL1

Planter Box

- 200mm high
- Holds 4 x 200mm diameter pots
- Perforated steel (white)
- Drip tray
- For artificial plants PLBS1120
- For real plants including drip tray PLBS1120DT
- Plants Sold Separately



Toast Racks

- ① **Wrap Around** FSTR02
- ② **Box Style** FSTR06

Tambour Door Cupboards

- Fully assembled
- Lockable
- Adjustable shelves included
- Available in White with White doors or Graphite Ripple with Grey doors
- Attractive roller shutter doors, retract inside the cabinet
- Extra Shelf available

Tambour Door - 4 Shelves TDBS2011
H2000 x W1120 x D460mm

Tambour Door - 2 Shelves TDBS1211
H1200 x W1120 x D460mm

Tambour Door - 2 Shelves TDBS1011
H1010 x W1120 x D460mm

Citi Mobile Pedestals

- Lockable all steel construction
- Anti-tilt castors
- Sturdy ball bearing drawer runners



Citi Mobile Pedestal CTMP2DF
H597 x W3900 x D500mm

Built Strong Pedestals

- Lockable all steel construction
- Sturdy ball bearing drawer runners



Metal Mobile Pedestal MPBS2DF
H590 x W390 x D500mm



Lateral Filing Cabinets

- Fully assembled
- Anti tilt
- Available in White or Graphite Ripple


3 Drawer LFBS3D
H1010 x W900 x D460mm



2 Drawer LFBS2D
H720 x W900 x D460mm

Citi SCREENS - FULL HEIGHT AND DESKTOP

Panel Screens



- Four widths, two heights – overall/above desktop: 1200/480mm, 1500/780mm
- White 30 powdercoated 32mm slimline aluminium frame
- White melamine below desktop
- Also available as a freestanding screen including feet and end trim (code CTF5xxxx)
- Pinnable commercial fabric in Charcoal
- Many other sizes and colours available (\$POA)



1200mm High		1500mm High	
Width (mm)	Code	Width (mm)	Code
1200mm	CCLS1212P	1200mm	CCLS1512P
1500mm	CCLS1215P	1500mm	CCLS1515P
1800mm	CCLS1218P	1800mm	CCLS1518P
750mm Return	CCLS1275P	750mm Return	CCLS1575P

Desktop Screens




- 480mm height above desk, mounted with sturdy steel brackets
- White 30 powdercoated 32mm slimline aluminium frame
- Compact laminate and acrylic screens available
- Four standard pinnable commercial fabric colours
- Also available as a clamp-on screen (code CTDCxxxx)
- Many other sizes and colours available (\$POA)



Width (mm)	Code
1200mm	CCDM0512P
1500mm	CCDM0515P
1800mm	CCDM0518P
750mm Return	CCDM0575P

Desk Hung Screens



- Fabric available in Citi Charcoal (other colours available \$POA)
- Includes mounting brackets and two end trims




Size (mm)	Code
W750mm	CTDH0975
W1200mm	CTDH0912
W1500mm	CTDH0915
W1800mm	CTDH0918

Compact Laminate/Acoustic Panels

• Also available: Glass, perspex and plywood

- Includes mounting brackets
- Large range of colours and laminate finishes – see pages 8-9
- Many other sizes available (\$POA)




A Desktop – H350mm	
Width (mm)	Code
1100mm	CCCL0311
1400mm	CCCL0314
1700mm	CCCL0317
650mm Return	CCCL0365

B Desk Hung – H785mm	
Width (mm)	Code
1100mm	CCCL0811
1400mm	CCCL0814
1700mm	CCCL0817

C Desk Hung – H900mm	
Width (mm)	Code
1200mm	CCCL0912
1500mm	CCCL0915
1800mm	CCCL0918


Citi BRACKETS AND HARDWARE




A **Accessory Rail Bracket** CCAR
included with Accessory Rail



Cantilever Bracket CCPT02
left or right – one/pack



Double Cantilever Bracket CCPT03
one/pack




Desk Clamp Bracket CCPT27
two/pack




Desktop Mounted Screen Bracket CCPT06
two/pack




C **Reception Hob Bracket** CCPT04
four/pack (2 left & 2 right)




D **Beam-to-Leg Bracket** CCPT21L
two/pack




Desk Hung Compact Bracket CCPT31
two/pack



E **Desk Mounted Post Bracket** CCPT25
two/pack



Leg-to-Top Bracket CCPT32
two/pack



Desk Hung Screen Bracket CCPT05
two/pack




**Compact/Acoustic Panel
Screw Down Bracket** CCPT30
two/pack



**Compact/Acoustic Panel
Accessory Rail Bracket** CCPT24
two/pack




**Compact/Acoustic Panel
Single Desk Bracket** CCPT29
two/pack



**Compact/Acoustic Panel
Back-to-Back Bracket** CCPT28
two/pack

Citi SCREEN SYSTEM EXPLODED VIEW


Desktop Screens



Citi Panel System - Additional Components	
90° Corner Post 1200mm high	CCCP12
90° Corner Post 1500mm high	CCCP15
120° Corner Post 1200mm high	CCCP312
Screen End Trim 1200mm	CCET12
Screen End Trim 1500mm	CCET15

Citi Leg System - Additional Components	
Accessory Rail 1200mm	CCAR12
Accessory Rail 1500mm	CCAR15
Accessory Rail 1800mm	CCAR18
90° Corner Post 480mm high	CCCP05
Screen End Trim 480mm	CCET05
Fill Post for 'X' Workstation	CCPT26
Beams End-End 1200mm	CCFB12EE
Beams End-Mid 1200mm	CCFB12EM
Beams Mid-Mid 1200mm	CCFB12MM
Beams End-End 1500mm	CCFB15EE
Beams End-Mid 1500mm	CCFB15EM
Beams Mid-Mid 1500mm	CCFB15MM
Beams End-End 1800mm	CCFB18EE
Beams End-Mid 1800mm	CCFB18EM
Beams Mid-Mid 1800mm	CCFB18MM
Return Beams for 750mm Top	CCFB07RT
Return Beams for 1050mm Top	CCFB10RT
Telescopic Beam 900-1200mm	CCTB09
Telescopic Beam 1200-1600mm	CCTB12
Telescopic Beam 1600-2000mm	CCTB16
Telescopic Beam 2000-2400mm	CCTB20

Panel Screens



SOFT-WIRING CABLE MANAGEMENT

What is Softwiring?

Otherwise known as modular wiring, Softwiring is a plug-and-play electrical wiring system which supersedes the labour intensive method of hardwiring by utilising an interconnecting modular backbone which enables a versatile and tool-less installation between the ceiling, workstation and floor. Providing power to the desktop. Softwiring has transformed the building industry by adding flexibility and modularity whilst reducing installation time, waste of material and overall cost.

Advantages of Softwiring

Tool-less connections Enable quicker installation times, saving on labour and material costs

Safer installation Pre-terminated and pre-tested one-way plug-and-play connections eliminates electrical faults

Sustainable Re-usable leads and outlets are not only more versatile to install but also minimises waste on projects

Future-proof installation Simple to add connections allow for expansion or reconfiguration at minimal cost


Complete Ceiling to Floor solutions to suit any commercial or industrial application

2 Year Standard Electrical Warranty One supplier to deal with when it counts most

One-stop supplier In-house design and manufacturing, meaning greater control and shorter leadtimes

Local & Global Manufacturing Capability International offices in Singapore, Malaysia, the UK and New Zealand

Industry Leading Sustainability & Compliance ISO14001 & Best Environment Practice accredited manufacturer



STARTERS, LEADS AND ADAPTORS



Universal socket

- CMS starter sockets can be mounted anywhere, wall, floors, ceiling etc.




Wall Starter

- Single side entry 20amp starter socket. Best suited for wall placement.



Interconnecting Lead

- Leads for power distribution within furniture. Available in Black and White.



L3D

Multi - Adaptor.

- Flexible solution for tapping off workstation power in different directions.



L3T

T-Piece Splitter.

- One input and 2 output style splitter.

SOFT-WIRING CABLE MANAGEMENT

POWER RAILS

Available to be specified with USB A/C fast charging, data & AV options. Standard colours White and Black.



ATHENA



ZEUS



PREMIER



ISO



EQUA

CABLE MANAGEMENT



**WIREGRID
100MM**



**WIREGRID
DUAL TIER**



**SW18 QUAD
GPO**



**WGCB GPO
BRACKET**



45° DATA CUP

CABLE UMBILICAL



AXESS

• Designed for ceiling to desk to floor application.



LINK SERIES

• Designed for use with height adjustable workstations.



CIRQLATE

• Designed for ceiling to desk to floor application.



CABLE SHUTE

• Designed for use with height adjustable workstations.



TOTEM

• Designed for ceiling to desk to floor application.

PERSONAL INDESK



KONNEXUS



FLIP



ACCEDE



CENTRA

CONFERENCEING INDESK



**EXECUTIVE
SINGLE LID**



**EXECUTIVE
DUAL LID**



**ACCEDE DUAL
LID**

CHARGING TECHNOLOGY



**INLINE USB-A
ADAPTOR**

- Inline integrates USB fast-charging into Power Rails and Indesk modules.



**INLINE USB-C
ADAPTOR**

- Inline integrates USB fast-charging into Power Rails and Indesk modules.



ATOM USB

- Atom is our most versatile USB fast-charging module. Suitable for soft furnishing, workstations and shared areas.



**BOOST
WIRELESS**

- Boost fits neatly in a circular cut-out making it ideal for workstations, shared spaces and general areas.



**QUANTUM SINGLE
WIRELESS**

- Quantum single pad delivers powerful wireless charging with the added utility of USB charging. Perfect for shared areas and hot desking.



**QUANTUM DUAL
WIRELESS**

- Stylish design solution for providing power and/or data to the workspace where it is easily accessible above the worktop.



HELIPAD

- Helipad delivers the convenience of wireless charging with the versatility of a Power Rail. Available with Athena and Zeus Power Rails.



it's easier with
empire
 office furniture
SHOWROOMS

MACKAY

mackay@empirefurniture.com.au
 2B Victoria Street
 Mackay QLD 4740
 Ph: (07) 4944 1167
 Fax: (07) 4953 3779

UNDERWOOD

underwood@empirefurniture.com.au
 62 Compton Road
 Underwood QLD 4119
 Ph: (07) 3290 2160
 Fax: (07) 3290 2045

WOOLLOONGABBA

gabba@empirefurniture.com.au
 61 Ipswich Road
 Woolloongabba QLD 4102
 Ph: (07) 3028 4000
 Fax: (07) 3028 4099

ROCKHAMPTON

rockhampton@empirefurniture.com.au
 211 East Street
 Rockhampton QLD, 4700
 Ph: (07) 4927 7730
 Fax: (07) 4927 7109

SOUTHPORT

southport@empirefurniture.com.au
 180 Scarborough Street
 Southport QLD 4215
 Ph: (07) 5571 1299
 Fax: (07) 5571 2511

CORPORATE PROJECTS

projects@empirefurniture.com.au
 61 Ipswich Road
 Woolloongabba QLD 4102
 Ph: (07) 3028 4040
 Fax: (07) 3028 4050

TOWNSVILLE

townsville@empirefurniture.com.au
 233 Ingham Road
 Garbutt QLD 4814
 Ph: (07) 4775 1960
 Fax: (07) 4775 5848

SUNSHINE COAST

sunshine@empirefurniture.com.au
 Shop E 224 Nicklin Way
 Warana QLD 4575
 Ph: (07) 5493 1365
 Fax: (07) 5493 1035

ROCKLEA

rocklea@empirefurniture.com.au
 Gate 1, 51-63 Heaton Street
 Rocklea QLD 4106
 Ph: (07) 3272 7929
 Fax: (07) 3272 7939

VIRGINIA

virginia@empirefurniture.com.au
 1928 Sandgate Road
 Virginia QLD 4014
 Ph: (07) 3865 1138
 Fax: (07) 38651149

SYDNEY

sydney@empirefurniture.com.au
 Unit 1/36 Parramatta Road
 Lidcombe NSW 2141
 Ph: (02) 9648 0222
 Fax: (02) 9648 6384

e 1300 400 521
 EST 1982 empirefurniture.com.au